

# Floating Docks Titan Series

The Titan Series Floating Dock combines the best features of all our docking systems into a single, long lasting, high performance dock. Our rugged reinforced pontoon flotation system ensures the dock stays safely above the water and waves. Like all On the Water Designs docks, our Titan Series Pontoon Floating Dock is fabricated by skilled welders and carpenters to ensure your dock lasts a lifetime.. or longer! Our aluminum frames come complete with a 10 year warranty and our reinforced pontoons come complete with a 25 year warranty!



#### **Titan Series Floating Docks Include:**

- → Frame, Pontoons & Decking (If Purchased)
- ✓ Chain Retainers at Corners
- ✓ All Ramps Include A Float At Dock Side
- ✓ 10 Year Welded Frame Warranty
- ✓ 25 Year Pontoon Warranty

		Dock					
Size W	L			Western Red Cedar	PVC Endeck / Thruflow		
	15'	\$ 4,750	\$ 5,850	\$ 6,550	\$ 7,250		
	13	FT0615-NO	FT0615-PT	FT0615-WR	FT0615-PV		
	20'	5,800	7,050	7,850	9,050		
6'		FT0620-NO	FT0620-PT	FT0620-WR	FT0620-PV		
· ·	25'	6,850	8,150	9,050	10,900		
		FT0625-NO	FT0625-PT	FT0625-WR	FT0625-PV		
	30'	7,300	8,550	9,600	12,600		
	50	FT0630-NO	FT0630-PT	FT0630-WR	FT0630-PV		
	15'	5,250	6,400	7,150	8,400		
		FT0815-NO	FT0815-PT	FT0815-WR	FT0815-PV		
	20' 25'	6,200	7,650	8,400	10,400		
8'		FT0820-NO	FT0820-PT	FT0820-WR	FT0820-PV		
		7,700	9,200	10,200	13,400		
		FT0825-NO	FT0825-PT	FT0825-WR	FT0825-PV		
	30'	9,300	10,700	12,000	15,500		
	Ľ	FT0830-NO	FT0830-PT	FT0830-WR	FT0830-PV		
	15'	6,200	7,400	8,400	10,500		
		FT1015-NO	FT1015-PT	FT1015-WR	FT1015-PV		
	20'	7,700	9,050	10,000	13,600		
10'		FT1020-NO	FT1020-PT	FT1020-WR	FT1020-PV		
	25'	9,600	11,000	12,500	17,200		
		FT1025-NO	FT1025-PT	FT1025-WR	FT1025-PV		
	30'	11,600	13,800	15,600	19,900		
		FT1030-NO	FT1030-PT	FT1030-WR	FT1030-PV		

	3'	\$	580	\$	650	\$	650	\$	870
		DS0	003-NO	DS0	003-PT	DS0	003-WR	DS0	003-PV
Corner	4'		630		740		740		1,000
Walkway		DS0	004-NO	DS0	004-PT	DS0	004-WR	DS0	004-PV
	5'		690		830		830		1,125
	כ	DS0	005-NO	DS0	005-PT	DS0	005-WR	DS0	005-PV

		Ramp						
Size W L		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow			
VV	L	Ć 4 725	ć 2 200	ć 2.450				
	10'	\$ 1,725	\$ 2,200	\$ 2,450	\$ 3,150			
		FR0410-NO	FR0410-PT	FR0410-WR	FR0410-PV			
4'	15'	2,725	3,550	3,950	4,750			
		FR0415-NO	FR0415-PT	FR0415-WR	FR0415-PV			
	20'	3,200	4,525	5,000	6,500			
		FR0420-NO	FR0420-PT	FR0420-WR	FR0420-PV			
	10'	2,050	2,750	3,000	4,000			
		FR0610-NO	FR0610-PT	FR0610-WR	FR0610-PV			
6'	15'	3,100	4,400	4,900	6,300			
0		FR0615-NO	FR0615-PT	FR0615-WR	FR0615-PV			
	20'	3,450	5,050	5,550	7,550			
		FR0620-NO	FR0620-PT	FR0620-WR	FR0620-PV			
	10'	3,675	4,700	5,050	6,000			
	10	FR0810-NO	FR0810-PT	FR0810-WR	FR0810-PV			
8'	15'	4,125	5,800	6,350	8,450			
0	15	FR0815-NO	FR0815-PT	FR0815-WR	FR0815-PV			
	20'	4,625	6,600	7,350	10,100			
	20	FR0820-NO	FR0820-PT	FR0820-WR	FR0820-PV			
	401	3,825	5,350	5,900	7,400			
	10'	FR1010-NO	FR1010-PT	FR1010-WR	FR1010-PV			
401	451	4,575	6,900	7,650	9,250			
10'	15'	FR1015-NO	FR1015-PT	FR1015-WR	FR1015-PV			
	20'	4,975	8,150	9,100	11,400			
	20'	FR1020-NO	FR1020-PT	FR1020-WR	FR1020-PV			

DID YOU KNOW?

Pontoon floats are the best choice for flotation when big waves are frequent

Pontoon floats respond more slowly than box floats to waves due to the rounded shape of the bottom. This gives a greater feeling of stability in rough conditions when big waves occur.

Are calm conditions your normal? Check out our more economical Designer Series Floating Dock with box floats

15" Freeboard Fusion Welded Crossers Safely Leave In Ice

# Floating Docks Titan Series

	Titan Series	=1									
			1	100							-
Floating Dock Options							1			030	-
Dock to Dock Stiffener	Turns two dock sections into one large dock section by	\$ 5	510.00				=				Ĥ
	reinforcing the joint.				The same of				4		
	Docks must join side by side	DS	9040								
Accessory	HD aluminum bracket welded below decking to reinforce	\$	70.00	\$	75.00	==					-
Reinforcement	cleats & mooring whips	C	leat	V	/hip				-		==
		AH	10040	AH	0041						
HitcHinge Upgrade	Upgrade fron HD hinge to HitcHinge. Hitch Side is always	\$	80.00	\$ :	120.00	\$	120.00				
(/Hinge)	welded to ramp. Pin Side may be welded or bolted to	٧	Veld	1"	Deck	1.	5" Deck	1			
	wood docks with either 1" or 1.5" decking	AH03	300-UW	AH03	300-U1	AH	0300-U2				
Concrete Anchor	Concrete anchor for holding floating docks.	\$ 1	110.00	\$ 2	220.00	\$	85.00				
	Chain weights are suspended off the bottom add stability	Dock	(165lb)	HD (	(350lb)	Ch	ain (50lb)				
	on docks with large water fluctuations	OH	10165	OH	0350	0	H0010				
Chain (/ft)	Gr. 30 Hot Dipped Galv. Chain is the best choice for most	\$	5.25	\$	7.70	\$	8.80				
	residential applications. Choose Gr. 70 Yellow Zinc for	5	/16"	3	8/8"	3/	'8" Gr 70				
	Longest Life & to Combat Zebra Mussles	GV5	602-CH	GV38	802-CH	OF:	3802-CH				
Anti-Sway Cable Kit	Makes your dock feel more stable by reinforcing ramp	\$ 2	210.00	\$ 2	220.00	\$	230.00				
	against twisting motion. Sold by ramp Length.		10'		15'		20'				
		DS9	015-10	DS90	015-15	DS:	9015-20				
Skirting (/ft)	Deck board running below dock frame adds an attractive	\$	5.55	\$	11.25	\$	7.95	\$	9.25	\$	16.25
	natural finish and hides the gap between the dock and	Brack	kets Only	PVC E	Brackets		PT	Ce	edar		PVC
	water	DS90	025-NO	DS90	025-NR	DS	9025-PT	DS90	25-WR	DSS	9025-PV





Shore Attachment	S	4'	6'	8'	10'
Shore Beam	6"x6" PT Beam. Used as an adaptor for the	\$ 200	\$ 380	\$ 400	\$ 450
Shore beam	shore angle on uneven bedrock.	DS2000-04	DS2000-06	DS2000-08	DS2000-10
Shore Angle	4" x 4" Aluminum Angle.	380	450	530	600
Shore Angle	Mount to shore beam or wood deck	DS4400-04	DS4400-06	DS4400-08	DS4400-10
Shore Plate	4" x 1/4" Aluminum Plate.	260	280	320	350
Silore Flate	Mount to the face of a flat surface	DS5000-04	DS5000-06	DS5000-08	DS5000-10
Shore Channel	4" x 2-1/2" Aluminum Channel.	410	530	590	650
Shore Chamler	Mount to the face of an uneven surface	DS3000-04	DS3000-06	06 DS2000-08 DS2000 00 530 6 06 DS4400-08 DS4400 00 320 3 06 DS5000-08 DS5000 06 DS5000-08 DS5000 06 DS3000-08 DS3000 460 059085	DS3000-10
Shore Posts	2 Individual hinges mounted to leg holders.		4	60	
SHOLE LOSES	Secured with 6' galv. post		DSS	085	
Concrete Angle	4' x 6" Aluminum Angle	570	720	860	1,000
Concrete Angle	Mount to new or existing concrete	DS4600-04	DS4600-06	DS4600-08	DS4600-10

\* Note: Concrete Pour Available Separately

Shore Plat	forms		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow
		4' x 4'	\$ 860	\$ 1,075	\$ 1,175	\$ 1,500
	Reinforced Dock frame mounted to bedrock with 1" threaded rod (included)	4 / 4	DS44BR-NO	DS44BR-PT	DS44BR-WR	DS44BR-PV
Bedrock		6' x 4'	970	1,275	1,425	1,975
Beulock		0 7 4	DS64BR-NO	DS64BR-PT	DS64BR-WR	DS64BR-PV
		8' x 4'	1,125	1,425	1,675	2,275
			DS84BR-NO	DS84BR-PT	DS84BR-WR	DS84BR-PV
		4' x 4'	1,150	1,350	1,500	1,800
	Reinforced dock frame	4 × 4	DS44SC-NO	DS44SC-PT	DS44SC-WR	DS44SC-PV
Sand &	with 6' steel legs	6' x 4'	1,250	1,575	1,850	2,275
Clay	(included) driven into soil.	6 X 4	DS64SC-NO	DS64SC-PT	DS64SC-WR	DS64SC-PV
	(included) driven into soil.	8' x 4'	1,400	1,700	1,950	2,575
		8 X 4	DS84SC-NO	DS84SC-PT	DS84SC-WR	DS84SC-PV



Shore Platform

## **Floating Doc**

Titan Series

#### **Contact Us**

On the Water Designs Kilworthy (Muskoka) ON (866) 477-0177 info@onthewaterdesigns.com



70.00 10'4" Length BU5124-##



**Large Corner Bumper** 

\$45.00 BU0065-##






6" Flip Up Cleat

24.00

CL0601-## WH BI GV

	VVII	ᄓ	
Install 6" Cleat	LB2006	\$	15.00
Hardware Only	SS9006-CB		8.40



**Single P Bumper** 

110.00 8' Length

BL

BU0090-##





\$42.00 BU0060-## WH BL GY

10" Open Base Cleat

26.00 CL1005-GY

LB2006 \$ 15.00 Hardware Only SS9006-CB 8.40



#### **Bumper Installation**

25.00 **Factory Install Bumper** LB2010 LB2015 10.00 **Factory Install Corner** Bumper Screws (100pk) SS0822-SC 25.00



Hand Rail - Aluminum

10'	DS9055-10	\$ 540.00
15'	DS9055-15	820.00
20'	DS9055-20	1,100.00

### **Premium Solar Light**



\$60.00 SL0000-WH

## Solar Dock Lite (2pk)



\$55.00 SL0010-WH




Premium **Mooring Whips** 

	Capacity	Size
8'	2,500 lbs	\$ 410.00
8	2,500 lbs	WH0250
12'	5,000 lbs	610.00
12	5,000 105	WH0500
14'	10,000 lbs	710.00
14	10,000 ibs	WH1000
Wake	3,500 lbs	690.00
Watcher	3,500 lbs	WH0350
		40.00

Install Whips



Wake Watcher™





1						
1	7 1	Black	White	Grey	Measuremer	nts
/	2 Stop	\$ 520.00	\$ 520.00	\$ 480.00	ID	18"
	3 Step	LA0103-BL	LA0103-WH	LA0103-GY	OD	20.5"
	4 Step	590.00	590.00	530.00	Step Height	11"
	4 жер	LA0104-BL	LA0104-WH	LA0104-GY	3 Step	33"
	E Cton	660.00	660.00	570.00	4 Step	44"
١	5 Step	LA0105-BL	LA0105-WH	LA0105-GY	5 Step	55"
	Install La	dder	LB2020	30.00	Angle	15°

LB2025

**Angled Ladder**